

	1	2	3	4	5	6	7	8																																						
H																																														
G																																														
F	SPECIFICATION FOR APPROVAL																																													
E	DELEC <table><tr><td>MARKETING GROUP</td><td>R&D GROUP</td><td>QA GROUP</td></tr><tr><td>ISSUED BY</td><td>CHECKED BY</td><td>QA INSPECTION</td></tr><tr><td>Aaron</td><td>Victor Ran</td><td>Liu Ting</td></tr></table>				MARKETING GROUP	R&D GROUP	QA GROUP	ISSUED BY	CHECKED BY	QA INSPECTION	Aaron	Victor Ran	Liu Ting	CUSTOMER CUSTOMER APPROVAL: ☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED ISSUED BY : _____ CHECKED BY: _____ APPROVED BY: _____ COMMENTS : _____ _____																																
MARKETING GROUP	R&D GROUP	QA GROUP																																												
ISSUED BY	CHECKED BY	QA INSPECTION																																												
Aaron	Victor Ran	Liu Ting																																												
D	CUSTOMER: _____																																													
C	CUSTOMER PART NO: _____																																													
B	SAMPLE Q'TY: _____																																													
A	SAMPLE DATE: _____																																													
	RoHS COMPLIANT				<table><tr><td colspan="4">TITLE</td><td colspan="4">DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD</td></tr><tr><td colspan="4">PART NO.</td><td colspan="2">GENERAL TOLERANCE</td><td colspan="1"></td><td colspan="1">UNIT:MM</td><td colspan="1">SIZE: A4</td></tr><tr><td colspan="1">DRAW</td><td colspan="1">Aaron</td><td colspan="1">DATE</td><td colspan="1">2020-09-28</td><td colspan="1">.X±0.20</td><td colspan="1">.X±1°</td><td colspan="1" rowspan="3">SCALE: 1:1</td><td colspan="1" rowspan="3">SHEET: 1/7</td><td colspan="1" rowspan="3">REV:A</td></tr><tr><td colspan="1">CHECK</td><td colspan="1">Aaron</td><td colspan="1">DATE</td><td colspan="1">2020-09-28</td><td colspan="1">.XX±0.15</td><td colspan="1">.XX±5°</td></tr><tr><td colspan="1">APPROVE</td><td colspan="1">Victor</td><td colspan="1">DATE</td><td colspan="1">2020-09-28</td><td colspan="1">.XXX±0.10</td><td colspan="1"></td></tr></table>				TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/7	REV:A	CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°	APPROVE	Victor	DATE	2020-09-28	.XXX±0.10	
TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD																																										
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4																																						
DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/7	REV:A																																						
CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°																																									
APPROVE	Victor	DATE	2020-09-28	.XXX±0.10																																										


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010


PRODUCT DRAWING

	1	2	3	4	5	6	7	8		
H										
	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
G	A	FIRST ISSUE			Aaron	Victor	2020-09-28			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP+ 1X4 CAGE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-2N34002-07N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 2/7	REV:A
		CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°			
		APPROVE	Victor	DATE	2020-09-28	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										

BY DUOYA CONNECTOR CORPORATION




© COPYRIGHT 2010

PRODUCT DRAWING




NOTES:

- 1.MATERIAL:
CAGE: COPPER ALLOY, THICKNESS 0.25mm
LIGHT PIPE: CLEAR POLYCARBONATE
2.PACKAGING: TRAY PACKAGING
3.TEMPERATURE RANGE:
OPERATING : -40°C TO +85°C
NON OPERATING : -55°C TO +105°C




TITLE				DELEC				东莞多亚电子有限公司	
SFP+ 1X4 CAGE								DONGGUAN DUOYA ELECTRONICS CO.,LTD	
PART NO.				GENERAL TOLERANCE		UNIT:MM		SIZE: A4	
DH10-2N34002-07N									
DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 3/7	
CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2020-09-28	.XXX±0.10					


RoHS COMPLIANT



RoHS COMPLIANT

TITLE						DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD			
SFP+ 1X4 CAGE									
PART NO.						GENERAL TOLERANCE		UNIT:MM	SIZE: A4
DH10-2N34002-07N									
DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 4/7	REV:A
CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2020-09-28	.XXX±0.10					






RECOMMENDED BEZEL DESIGN
SINGLE SIDED APPLICATIONS

RECOMMENDED BEZEL DESIGN
BELLY TO BELLY APPLICATIONS


TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 1X4 CAGE								
PART NO. DH10-2N34002-07N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 6/7	REV:A
CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2020-09-28	.XXX±0.10				

RoHS COMPLIANT


PACKAGE INFORMATION AND LABEL




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	90 PCS
TRAY	5 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE SFP+ 1X4 CAGE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO.,LTD		
PART NO. DH10-2N34002-07N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2020-09-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 7/7	REV:A
CHECK	Aaron	DATE	2020-09-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2020-09-28	.XXX±0.10				

RoHS COMPLIANT