

1	2	3	4	5	6	7	8
H							
G							
F							
E							
D							
C							
B							
A							

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Iror	Victor	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-50111000-00S								
DRAW	Iror	DATE	2020-02-19	.X±0.30	.X±1°	SCALE: 1:1	SHEET: 1/5	REV:A
CHECK	Iror	DATE	2020-02-19	.XX±0.20	.XX±5°			
APPROVE	Victor	DATE	2020-02-19	.XXX±0.10				


RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION
© COPYRIGHT 2010





PRODUCT DRAWING

	1	2	3	4	5	6	7	8				
H	ISSUE RECORD											
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE					
G	A	FIRST ISSUE			Iror	Victor	2020-02-19					
F												
E												
D												
C												
B												
A												
RoHS COMPLIANT		TITLE				DELEC			东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD			
		PART NO.				GENERAL TOLERANCE					UNIT:MM	SIZE: A4
		DRAW	Iror	DATE	2020-02-19	.X±0.30	.X±1"		SCALE: 1:1	SHEET: 2/5	REV:A	
		CHECK	Iror	DATE	2020-02-19	.XX±0.20	.XX±5"					
		APPROVE	Victor	DATE	2020-02-19	.XXX±0.10						
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION												
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN												

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING



DH10-5011 0 0 0 - 0 0 S



1. REAR LEGS:
0=W/O REAR LEG
1=W/ 1 REAR LEG
2=W/ 2 REAR LEGS
2. LIGHT PIPE OPTION:
0=W/O Light Pipe
1=W/Single Light Pipe(Round)(Dim. A=9.7mm)
2=W/Double Light Pipe(Round)(Dim. A=9.7mm)
5=W/Quad Light Pipe(Round)(Dim. A=9.7mm)
6=W/Light Pipe(Round)(Dim. A=10.7mm)
3. LIGHT PIPE DIM OPTION:
0=W/O Light Pipe
1=Ø2.67mm For Single Light Pipe
2=Ø2.67mm For Double Light Pipe
3=Ø2.00mm For Double Light Pipe
A=Ø2.67mm For Quad Light Pipe
B=Ø2.00mm For Quad Light Pipe
C=Ø2.00mm For Single Light Pipe
4. PROCESS OPTION:
0=W/O Heatsink, Open Top
C=W/O Heatsink, Close Top
1=W/PCI(Heatsink 4.2mm)
2=W/SAN(Heatsink 6.5mm)
3=W/Networking(Heatsink 13.5mm)

1. MATERIALS:
BODY CAGE: STAINLESS STEEL, 0.25 THICKNESS
EMI FINGER: STAINLESS STEEL
2. SURFACE FINISH:
BODY CAGE: CLEANING
EMI SPRING: CLEANING AND HOLE SEALING
3. MATE WITH QSFP MSA COMPATIBLE TRANSCEIVER.
4. REFERENCE DOCUMENTS:
PRODUCT SPECIFICATION: QSFP MSA
5. THIS PRODUCT COMPLY TO ROHS DIRECTIVE 2011/65/EU.



RoHS COMPLIANT

TITLE QSFP+ 28G 1X1 CAGE					DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-50111000-00S					GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Iror	DATE	2020-02-19	.X±0.30	.X±1°	SCALE: 1:1		SHEET: 3/5	REV:A
CHECK	Iror	DATE	2020-02-19	.XX±0.20	.XX±5°				
APPROVE	Victor	DATE	2020-02-19	.XXX±0.10					

BEZEL AND BOARD POSITION DIMENSION
FOR SINGLE SIDE MOUNTING (SPRING FINGER)



BEZEL AND BOARD POSITION DIMENSION
FOR BELLY TO BELLY MOUNTING (SPRING FINGER)



NOTES:

1. THE NORMAL THICKNESS OF CUSTOMER SUPPLIED PC BOARD.(DIM. "F")
SINGLE SIDED PC BOARD THICKNESS: 1.60mm MIN.
BELLY TO BELLY PC BOARD MIN. THICKNESS: 3.0mm MIN.
2. GENERAL TOLERANCE: ±0.05.

RoHS COMPLIANT

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
QSFP+ 28G 1X1 CAGE								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-50111000-00S						SCALE: 1:1	SHEET: 4/5	REV:A
DRAW	Iror	DATE	2020-02-19	.X±0.30	.X±1°			
CHECK	Iror	DATE	2020-02-19	.XX±0.20	.XX±5°			
APPROVE	Victor	DATE	2020-02-19	.XXX±0.10				

