

SPECIFICATION FOR APPROVAL

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor	XuLong

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____


CUSTOMER: _____


CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

RoHS COMPLIANT



TITLE SFP+ 1X2 CAGE, WITH HEAT SINK				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-2N32H01-52N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-27	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Aaron	DATE	2024-01-27	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2024-01-27	.XXX±0.10				

	1	2	3	4	5	6	7	8			
H	ISSUE RECORD										
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE				
G	A	FIRST ISSUE			Aaron	Victor Ran	2024-01-27				
F											
E											
D											
C											
B											
A											
RoHS COMPLIANT		TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
		SFP+ 1X2 CAGE, WITH HEAT SINK									
		PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
		DH10-2N32H01-52N									
		DRAW	Aaron	DATE	2024-01-27	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 2/6	REV:A	
		CHECK	Aaron	DATE	2024-01-27	.XX±0.15	.XX±5°				
		APPROVE	Victor	DATE	2024-01-27	.XXX±0.10					
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION											
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN											

BY DUOYA CONNECTOR CORPORATION


© COPYRIGHT 2010

PRODUCT DRAWING





NOTES:

- 1.MATERIAL: COPPER ALLOY, NICKEL PLATED,THICKNESS 0.25mm
HEAT SINK : ALUMINUM(SURFACE TREATMENT:
BLACK OXIDE)
- 2.PACKAGING: TRAY PACKAGING
- 3.TEMPERATURE RANGE:
OPERATING : -40°C TO +85°C
NON OPERATING : -55°C TO +105°C





RoHS COMPLIANT

TITLE SFP+ 1X2 CAGE, WITH HEAT SINK				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N32H01-52N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-27	.X±0.20	.X±1°	SCALE: 1:1	SHEET:3/6	REV:A
CHECK	Aaron	DATE	2024-01-27	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2024-01-27	.XXX±0.10				



RECOMMENDED BEZEL DESIGN
SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL DESIGN
BELLY TO BELLY APPLICATIONS

RoHS COMPLIANT


TITLE SFP+ 1X2 CAGE, WITH HEAT SINK				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N32H01-52N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-27	.X±0.20	.X±1°	SCALE: 1:1	SHEET:3/6	REV:A
CHECK	Aaron	DATE	2024-01-27	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2024-01-27	.XXX±0.10				




TITLE				DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 1X2 CAGE, WITH HEAT SINK				DELECO				
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-2N32H01-52N								
DRAW	Aaron	DATE	2024-01-27	.X±0.20	.X±1"	SCALE: 1:1	SHEET:3/6	REV:A
CHECK	Aaron	DATE	2024-01-27	.XX±0.15	.XX±5"			
APPROVE	Victor	DATE	2024-01-27	.XXX±0.10				

RoHS COMPLIANT


PACKAGE INFORMATION AND LABLE



1. PRODUCTS IN TRAYS




2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	125 PCS
TRAY	5 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

RoHS COMPLIANT

TITLE SFP+ 1X2 CAGE, WITH HEAT SINK				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-2N32H01-52N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-27	.X±0.20	.X±1°	SCALE: 1:1	SHEET:3/6	REV:A
CHECK	Aaron	DATE	2024-01-27	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2024-01-27	.XXX±0.10				