

SPECIFICATION FOR APPROVAL

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Iror	Victor	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____


CUSTOMER: _____


CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

RoHS COMPLIANT



TITLE QSFP28 2X3 CAGE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-5N3C008-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/8	REV:B
CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-12-21	.XXX±0.10				

	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
	A	FIRST ISSUE			Aaron	Victor	2023-11-04			
G	B	UPDATE DRAWING, SEE "  "			Aaron	Victor	2023-12-21			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 2/8	REV:B
		CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°			
		APPROVE	Victor	DATE	2023-12-21	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION		EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN								


BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010




PRODUCT DRAWING



DETAIL A
SCALE 5:1




DETAIL B
SCALE 5:1



NOTES:
MATERIAL:
CAGE ASSEMBLY: COPPER ALLOY (C7701), NIKCEL PLATED
EMI SPRING: COPPER ALLOY (C5191), NIKCEL PLATED
LIGHT PIPE: POLYCARBONATE, UL94 V-0
HOUSING: POLYCARBONATE, UL94 V-0
HEAT SINK: ALUMINUM
HEAT SINK CLIP: STAINLESS STEEL
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
ALL OVER 50μ" MIN NICKEL.
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C

RoHS COMPLIANT




TITLE QSFP28 2X3 CAGE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-5N3C008-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 3/8	REV:B
CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-12-21	.XXX±0.10				



⑦	PLASTIC	HIGH TEMPERATURE LCP	BLACK
⑥	CONTACTS	COPPER ALLOY(C7025)	GOLD-PLATED
⑤	LIGHT PIPE	POLYCARBONATE(PC)	CLEANING
④	CAGE	COPPER ALLOY(C7701)	Ni-PLATED
③	EMI SPRING	COPPER ALLOY(C5191)	Ni-PLATED
②	HEAT SINK	ALUMINUM(AL)	BLACK OXIDE
①	CLIP	STAINLESS STEEL(SUS304)	CLEANING
NO.	PART NAME	MATERIAL	REMARK

RoHS COMPLIANT


TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
QSFP28 2X3 CAGE								
PART NO. DH10-5N3C008-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 4/8	REV:B
CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-12-21	.XXX±0.10				





SECTION U-U

RoHS COMPLIANT

TITLE QSFP28 2X3 CAGE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-5N3C008-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 5/8	REV:B
CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-12-21	.XXX±0.10				







RoHS COMPLIANT

TITLE QSFP28 2X3 CAGE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-5N3C008-06B				GENERAL TOLERANCE		UNIT:MM
						SIZE: A4
DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°	SCALE: 1:1
CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°	
APPROVE	Victor	DATE	2023-12-21	.XXX±0.10		
						SHEET: 7/8
						REV:B


PACKAGE INFORMATION AND LABLE




1. 9PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS

ITEM	Q'TY
PRODUCT	36 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS COMPLIANT

TITLE				DELEC					东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
QSFP28 2X3 CAGE											
PART NO. DH10-5N3C008-06B				GENERAL TOLERANCE				UNIT:MM	SIZE: A4		
DRAW	Aaron	DATE	2023-12-21	.X±0.20	.X±1°		SCALE: 1:1	SHEET: 8/8	REV:B		
CHECK	Aaron	DATE	2023-12-21	.XX±0.15	.XX±5°						
APPROVE	Victor	DATE	2023-12-21	.XXX±0.10							