

SPECIFICATION FOR APPROVAL

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor	XuLong

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED


ISSUED BY : _____


CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

RoHS COMPLIANT


TITLE SFP28 1X1 CAGE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-7N31120-00N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-05-11	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Aaron	DATE	2023-05-11	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-05-11	.XXX±0.10				

	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
G	A	FIRST ISSUE			Aaron	Victor	2023-05-11			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP28 1X1 CAGE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-7N31120-00N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Aaron	DATE	2023-05-11	.X±0.20	.X±1"	SCALE: 1:1	SHEET: 2/6	REV:A
		CHECK	Aaron	DATE	2023-05-11	.XX±0.15	.XX±5"			
		APPROVE	Victor	DATE	2023-05-11	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010



PRODUCT DRAWING



- NOTES:
1.MATERIAL:
CAGE : COPPER ALLOY, THICKNESS 0.25mm,30u” MIN. NI-PLATED.
PCB GASKET : RF ABSORBER.
2.PACKAGING: TRAY PACKAGING
3.TEMPERATURE RANGE:
OPERATING : -40°C TO +85°C
NON OPERATING : -55°C TO +105°C

RoHS COMPLIANT

TITLE SFP28 1X1 CAGE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-7N31120-00N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-05-11	.X±0.20	.X±1°	SCALE: 1:1	SHEET 3/6	REV:A
CHECK	Aaron	DATE	2023-05-11	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-05-11	.XXX±0.10				



RECOMMENDED PCB CONFIGURATION

NOTES:

- | | |
|----|--|
| 1. | DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER |
| 2. | PADS AND VIAS ARE CHASSIS GROUND, |
| 3. | THRU HOLES, PLATING OPTIONAL |
- TITLE

SFP28 1X1 CAGE

RoHS COMPLIANT

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP28 1X1 CAGE								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-7N31120-00N								
DRAW	Aaron	DATE	2023-05-11	.X±0.20	.X±1°	SCALE: 1:1	SHEET 4/6	REV:A
CHECK	Aaron	DATE	2023-05-11	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-05-11	.XXX±0.10				


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING



RECOMMENDED BEZEL DESIGN

NOTES:
① MINIMUM PITCH ILLUSTRATED, ENGLISH
DIMENSIONS ARE FOR REFERENCE ONLY


RoHS COMPLIANT

TITLE SFP28 1X1 CAGE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-7N31120-00N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-05-11	.X±0.20	.X±1°	SCALE: 1:1	SHEET 5/6	REV:A
CHECK	Aaron	DATE	2023-05-11	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-05-11	.XXX±0.10				


H
G
F
E
D
C
B
A

12345678


PACKAGE INFORMATION AND LABLE




1. PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	352 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS COMPLIANT

TITLE SFP28 1X1 CAGE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-7N31120-00N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-05-11	.X±0.20	.X±1°	SCALE: 1:1	SHEET 6/6	REV:A
CHECK	Aaron	DATE	2023-05-11	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2023-05-11	.XXX±0.10				