

SPECIFICATION FOR APPROVAL

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____


CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

RoHS COMPLIANT





TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-1N3D001-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:D
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				

	1	2	3	4	5	6	7	8			
H	ISSUE RECORD										
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE				
	A	FIRST ISSUE			Iror	Victor Ran	2019-02-21				
G	B	UPDATE DRAWING			Aaron	Victor Ran	2021-01-01				
	C	UPDATE DRAWING			Aaron	Victor Ran	2022-12-17				
	D	UPDATE DRAWING			Aaron	Victor Ran	2023-5-8				
F											
E											
D											
C											
B											
A											
RoHS COMPLIANT		TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
		PART NO. DH10-1N3D001-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
		DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1		SHEET: 2/6	REV:D
		CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°				
		APPROVE	Victor	DATE	2023-5-8	.XXX±0.10					
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION											
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN											


BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING




DETAIL A
1:1



NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C

RoHS COMPLIANT

TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N3D001-04B				GENERAL TOLERANCE		UNIT:MM SIZE: A4
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1 SHEET:3/6 REV:D
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°	
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10		





DETAIL LIGHT PIPE LOCATION AND OTHER ZONES
DETAIL K
2:1

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.



2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

TITLE				SFP 2X4 CAGE+CONNECTOR  东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-1N3D001-04B								
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1	SHEET:4/6	REV:D
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				

PRODUCT DRAWING



SECTION A-A




DETAIL K
2:1

RECOMMENDED BEZEL DESIGN


RoHS COMPLIANT

TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-1N3D001-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1	SHEET:5/6	REV:D
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				


PACKAGE INFORMATION AND LABLE




1. 9PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR
TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	36 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS COMPLIANT

TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-1N3D001-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:D
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				