

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL☐ CONCESSIONARY☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Aaron	DATE	2022-12-13	.X±0.20	.X±1'		SCALE: 1:1	SHEET: 1/6	REV:B
CHECK	Aaron	DATE	2022-12-13	.XX±0.15	.XX±5'				
APPROVE	Victor	DATE	2022-12-13	.XXX±0.10					

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION


EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION



© COPYRIGHT 2010

PRODUCT DRAWING


	1	2	3	4	5	6	7	8
H	ISSUE RECORD							
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE	
	A	FIRST ISSUE			Aaron	Victor	2021-01-01	
G	B	UPDATE DRAWING			Aaron	Victor	2022-12-13	
F								
E								
D								
C								
B								
A	RoHS COMPLIANT				TITLE SFP 2X8 CAGE+CONNECTOR		DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD	
					PART NO. DH10-202H230-04B		GENERAL TOLERANCE 	
					DRAW Aaron		UNIT:MM	
					CHECK Aaron		SIZE: A4	
					APPROVE Victor		SCALE: 1:1	
					DATE 2022-12-13		SHEET: 2/6	
					DATE 2022-12-13		REV:B	
					DATE 2022-12-13			
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION								
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN								
BY DUOYA CONNECTOR CORPORATION								
© COPYRIGHT 2010								
PRODUCT DRAWING								




NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C



TITLE SFP 2X8 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-202H230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-13	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 3/6	REV:B
CHECK	Aaron	DATE	2022-12-13	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-13	.XXX±0.10				







RoHS COMPLIANT

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-202H230-04B						SCALE: 1:1	SHEET:5/6	REV:B
DRAW	Aaron	DATE	2022-12-13	.X±0.20	.X±1°			
CHECK	Aaron	DATE	2022-12-13	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-13	.XXX±0.10				


PACKAGE INFORMATION AND LABEL



1. 5PCS PRODUCTS IN TRAYS




2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	20 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

RoHS COMPLIANT

TITLE SFP 2X8 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-202H230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-13	.X±0.20	.X±1°	SCALE: 1:1	SHEET:6/6	REV:B
CHECK	Aaron	DATE	2022-12-13	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-13	.XXX±0.10				