

SPECIFICATION FOR APPROVAL

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Ryan	Victor	XuLong

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____


CUSTOMER: _____


CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

RoHS COMPLIANT



TITLE SFP 1X2 CAGE, WITH HEAT SINK				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO. DH10-1N32H01-55N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/7	REV:A	
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10					

	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
G	A	FIRST ISSUE			Ryan	Victor	2026-08-28			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP 1X2 CAGE, WITH HEAT SINK				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-1N32H01-55N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 2/7	REV:A
		CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°			
		APPROVE	Victor	DATE	2026-08-28	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										

BY DUOYA CONNECTOR CORPORATION


© COPYRIGHT 2010

PRODUCT DRAWING





NOTES:

- 1.MATERIAL: COPPER ALLOY, NICKEL PLATED, THICKNESS 0.25mm
HEAT SINK : ALUMINUM (SURFACE TREATMENT:
BLACK OXIDE)
- 2.PACKAGING: TRAY PACKAGING
- 3.TEMPERATURE RANGE:
OPERATING : -40°C TO $+85^{\circ}\text{C}$
NON OPERATING : -55°C TO $+105^{\circ}\text{C}$





RoHS COMPLIANT

TITLE SFP 1X2 CAGE, WITH HEAT SINK				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N32H01-55N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 3/7	REV:A
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10				



RECOMMENDED BEZEL DESIGN
SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL DESIGN
BELLY TO BELLY APPLICATIONS


RoHS COMPLIANT

TITLE				DELEO 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP 1X2 CAGE, WITH HEAT SINK								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-1N32H01-55N								
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 4/7	REV:A
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10				







PACKAGE INFORMATION AND LABLE



1. PRODUCTS IN TRAYS




2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)




3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	224 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

RoHS COMPLIANT

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD							
SFP 1X2 CAGE, WITH HEAT SINK											
PART NO. DH10-1N32H01-55N				GENERAL TOLERANCE				UNIT:MM	SIZE: A4		
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1"	SCALE: 1:1		SHEET: 7/7	REV:A		
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5"						
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10							