

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____


COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC		东莞多亚电子有限公司	
SFP+ 2X6 CAGE+CONNECTOR				DONGGUAN DUOYA ELECTRONICS CO., LTD			
PART NO.				GENERAL TOLERANCE			
DH10-2N3G230-04B						UNIT:MM	
DRAW		Aaron	DATE	2022-12-13.	.X±0.20	SIZE: A4	
CHECK		Aaron	DATE	2022-12-13.	.XX±0.15	SCALE: 1:1	
APPROVE		Victor	DATE	2022-12-13.	.XXX±0.10	SHEET: 1/6	
						REV:C	

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN


PRODUCT DRAWING

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

	1	2	3	4	5	6	7	8
H	ISSUE RECORD							
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE	
	A	FIRST ISSUE			Iror	Victor	2017-11-10	
G	B	UPDATE DRAWING			Aaron	Victor	2021-01-01	
	C	UPDATE DRAWING			Aaron	Victor	2022-12-13	
F								
E								
D								
C								
B								
A								


RoHS COMPLIANT

TITLE				DELEC		东莞多亚电子有限公司	
SFP+ 2X6 CAGE+CONNECTOR				DONGGUAN DUOYA ELECTRONICS CO., LTD			
PART NO.				GENERAL TOLERANCE			UNIT:MM
DH10-2N3G230-04B						SCALE: 1:1	SIZE: A4
DRAW	Aaron	DATE	2022-12-13.	.X±0.20	.X±1°	SHEET: 2/6	REV:C
CHECK	Aaron	DATE	2022-12-13.	.XX±0.15	.XX±5°		
APPROVE	Victor	DATE	2022-12-13.	.XXX±0.10			

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING
© COPYRIGHT 2010
BY DUOYA CONNECTOR CORPORATION




NOTES:


MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS


PACKAGING: TRAY PACKAGING.

TEMPERATURE RANGE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C


TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
SFP+ 2X6 CAGE+CONNECTOR									
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DH10-2N3G230-04B									
DRAW	Aaron	DATE	2022-12-13.	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 3/6	REV:C	
CHECK	Aaron	DATE	2022-12-13.	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2022-12-13.	.XXX±0.10					









PACKAGE INFORMATION AND LABLE




1. 6PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	24 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X6 CAGE+CONNECTOR								
PART NO. DH10-2N3G230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-13.	.X±0.20	.X±1*	SCALE: 1:1	SHEET: 6/6	REV:C
CHECK	Aaron	DATE	2022-12-13.	.XX±0.15	.XX±5*			
APPROVE	Victor	DATE	2022-12-13.	.XXX±0.10				

RoHS COMPLIANT