




1	2	3	4	5	6	7	8																																				
H	SPECIFICATION FOR APPROVAL																																										
G																																											
F																																											
E																																											
D	<table><tr><td colspan="3">DELEC</td></tr><tr><td>MARKETING GROUP</td><td>R&D GROUP</td><td>QA GROUP</td></tr><tr><td>ISSUED BY</td><td>CHECKED BY</td><td>QA INSPECTION</td></tr><tr><td>Iror</td><td>Victor</td><td>XuLong</td></tr></table>			DELEC			MARKETING GROUP	R&D GROUP	QA GROUP	ISSUED BY	CHECKED BY	QA INSPECTION	Iror	Victor	XuLong	<u>CUSTOMER</u> CUSTOMER APPROVAL: ☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED ISSUED BY : _____ CHECKED BY: _____ APPROVED BY: _____ COMMENTS : _____ _____																											
DELEC																																											
MARKETING GROUP	R&D GROUP	QA GROUP																																									
ISSUED BY	CHECKED BY	QA INSPECTION																																									
Iror	Victor	XuLong																																									
C	CUSTOMER: _____																																										
B	CUSTOMER PART NO: _____																																										
A	SAMPLE Q'TY: _____																																										
	SAMPLE DATE: _____																																										
<table><tr><td colspan="4">TITLE SFP28 2X8</td><td colspan="2">DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD</td></tr><tr><td colspan="4">PART NO. DH10-7N3H230-06B</td><td colspan="2">GENERAL TOLERANCE</td><td></td><td>UNIT:MM</td><td>SIZE: A4</td></tr><tr><td>DRAW</td><td>Aaron</td><td>DATE</td><td>2023-4-17</td><td>.X±0.20</td><td>.X±1°</td><td rowspan="3">SCALE: 1:1</td><td rowspan="3">SHEET: 1/6</td><td rowspan="3">REV:A</td></tr><tr><td>CHECK</td><td>Aaron</td><td>DATE</td><td>2023-4-17</td><td>.XX±0.15</td><td>.XX±5°</td></tr><tr><td>APPROVE</td><td>Victor</td><td>DATE</td><td>2023-4-17</td><td>.XXX±0.10</td><td></td></tr></table>				TITLE SFP28 2X8				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		PART NO. DH10-7N3H230-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	DRAW	Aaron	DATE	2023-4-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A	CHECK	Aaron	DATE	2023-4-17	.XX±0.15	.XX±5°	APPROVE	Victor	DATE	2023-4-17	.XXX±0.10					
TITLE SFP28 2X8				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD																																							
PART NO. DH10-7N3H230-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4																																			
DRAW	Aaron	DATE	2023-4-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A																																			
CHECK	Aaron	DATE	2023-4-17	.XX±0.15	.XX±5°																																						
APPROVE	Victor	DATE	2023-4-17	.XXX±0.10																																							

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING © COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION

	1	2	3	4	5	6	7	8
H	ISSUE RECORD							
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE	
G	A	FIRST ISSUE			Aaron	Victor	2023-04-17	
F								
E								
D								
C								
B								
A								

RoHS COMPLIANT

TITLE				DELEC		东莞多亚电子有限公司	
SFP28 2X8						DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO.				GENERAL TOLERANCE			UNIT:MM
DH10-7N3H230-06B						SCALE: 1:1	SIZE: A4
DRAW	Aaron	DATE	2023-4-17	.X±0.20	.X±1°	SHEET: 2/6	REV:A
CHECK	Aaron	DATE	2023-4-17	.XX±0.15	.XX±5°		
APPROVE	Victor	DATE	2023-4-17	.XXX±0.10			


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING



BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010




NOTES:


MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C



TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD								
SFP28 2X8												
PART NO.				GENERAL TOLERANCE					UNIT:MM		SIZE: A4	
DH10-7N3H230-06B												
DRAW	Aaron	DATE	2023-4-17	.X±0.20	.X±1°		SCALE: 1:1		SHEET: 3/6		REV:A	
CHECK	Aaron	DATE	2023-4-17	.XX±0.15	.XX±5°							
APPROVE	Victor	DATE	2023-4-17	.XXX±0.10								

RoHS COMPLIANT





RoHS COMPLIANT

TITLE SFP28 2X8				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO. DH10-7N3H230-06B				GENERAL TOLERANCE				UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-4-17	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 5/6	REV:A
CHECK	Aaron	DATE	2023-4-17	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2023-4-17	.XXX±0.10					

