

1	2	3	4	5	6	7	8
H							
G							
F							
E							
D							
C							
B							
A							

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Iror	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Iror	DATE	2016-12-22	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Iror	DATE	2016-12-22	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2016-12-22	.XXX±0.10				

RoHS COMPLIANT


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION


EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING

	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
	A	FIRST ISSUE			Iror	Victor	2016-12-12			
G										
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP 2X8 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-1N3H230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Iror	DATE	2016-12-22	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 2/6	REV:A
		CHECK	Iror	DATE	2016-12-22	.XX±0.15	.XX±5°			
		APPROVE	Victor	DATE	2016-12-22	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										
BY DUOYA CONNECTOR CORPORATION © COPYRIGHT 2010 PRODUCT DRAWING										



NOTES:


MATERIAL:
CAGE: NICKEL SILVER


CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS

PACKAGING: TRAY PACKAGING.


TEMPERATURE RANGE: -40°C TO +85°C

RoHS COMPLIANT


TITLE SFP 2X8 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-1N3H230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Iror	DATE	2016-12-22	.X±0.20	.X±1°		SCALE: 1:1	SHEET:3/6
CHECK	Iror	DATE	2016-12-22	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2016-12-22	.XXX±0.10				



RoHS COMPLIANT

TITLE SFP 2X8 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N3H230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Iror	DATE	2016-12-22	.X±0.20	.X±1°	SCALE: 1:1	SHEET:5/6	REV:A
CHECK	Iror	DATE	2016-12-22	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2016-12-22	.XXX±0.10				

PACKAGE INFORMATION AND LABLE



PACKING QUANTITY : 5 PCS FINISHED GOODS PER TRAY

5 TRAYS (25 PCS FINISHED GOODS) PER CARTON BOX

RoHS COMPLIANT

TITLE SFP 2X8 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N3H230-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Iror	DATE	2016-12-22	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:A
CHECK	Iror	DATE	2016-12-22	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2016-12-22	.XXX±0.10				