

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1'		SCALE: 1:1	SHEET: 1/6	REV:C
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5'				
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10					

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION




EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING

	1	2	3	4	5	6	7	8
H	ISSUE RECORD							
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE	
	A	FIRST ISSUE			Aaron	Victor	2020-06-16	
G	B	UPDATE DRAWINGS			Aaron	Victor	2021-03-03	
	B	UPDATE DRAWINGS			Aaron	Victor	2022-12-17	
F								
E								
D								
C								
B								
A	RoHS COMPLIANT				THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION			
TITLE SFP+ 2X1 CAGE+CONNECTOR					DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO. DH10-2N3A230-05B					GENERAL TOLERANCE			UNIT:MM
DRAW Aaron					DATE 2022-12-17	.X±0.20	.X±1'	SCALE: 1:1
CHECK Aaron					DATE 2022-12-17	.XX±0.15	.XX±5'	
APPROVE Victor					DATE 2022-12-17	.XXX±0.10		
								SHEET: 2/6
								REV:C
EMAIL: MAILBOX@DELEC.COM.CN					WEB SITE: HTTP://WWW.DELEC.COM.CN			
PRODUCT DRAWING					BY DUOYA CONNECTOR CORPORATION			
© COPYRIGHT 2010								



NOTES:

MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM


CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X1 CAGE+CONNECTOR								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-2N3A230-05B								
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 3/6	REV:C
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				

RoHS COMPLIANT

NOTES:



1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND .



RECOMMENDED PCB CONFIGURATION

TITLE				DELEC		东莞多亚电子有限公司	
SFP+ 2X1 CAGE+CONNECTOR						DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO.				GENERAL TOLERANCE		UNIT:MM	SIZE: A4
DH10-2N3A230-05B							
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 4/6
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°		
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10			
						REV:C	


RoHS COMPLIANT




DETAIL K
2:1

REV:C


PACKAGE INFORMATION AND LABEL




1. 20PCS PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS

ITEM	Q'TY
PRODUCT	140 PCS
TRAY	7 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE SFP+ 2X1 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3A230-05B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:C
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				

RoHS COMPLIANT