

SPECIFICATION FOR APPROVAL

DELEC

MARKETING GROUP

R&D GROUP

QA GROUP

ISSUED BY

CHECKED BY

QA INSPECTION

Aaron

Victor Ran

Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY :

CHECKED BY:

APPROVED BY:

COMMENTS :

CUSTOMER: _____

CUSTOMER PART NO: _____



SAMPLE Q'TY: _____

SAMPLE DATE: _____




RoHS COMPLIANT

TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-1N3D001-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1"	SCALE: 1:1	SHEET: 1/6	REV:C
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5"			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				

	1	2	3	4	5	6	7	8	
H	ISSUE RECORD								
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE		
	A	FIRST ISSUE			Aaron	Victor Ran	2021-01-01		
G	B	UPDATE DRAWING			Aaron	Victor Ran	2022-12-17		
	C	UPDATE DRAWING			Aaron	Victor Ran	2023-5-8		
F									
E									
D									
C									
B									
A									
RoHS COMPLIANT		TITLE SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD			
		PART NO. DH10-1N3D001-00B				GENERAL TOLERANCE		UNIT:MM	SIZE: A4
		DRAW Aaron	DATE 2023-5-8	.X±0.35 .X±1"	SCALE: 1:1		SHEET: 2/6	REV:C	
		CHECK Aaron	DATE 2023-5-8	.XX±0.25 .XX±5"					
		APPROVE Victor	DATE 2023-5-8	.XXX±0.10					
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION		EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN							
		BY DUOYA CONNECTOR CORPORATION							
		© COPYRIGHT 2010							
		PRODUCT DRAWING							





DETAIL A
1:1



NOTES:
 MATERIAL:
 CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
 CONNECTOR:
 PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
 SPRING: STAINLESS STEEL, THICKNESS 0.20mm
 CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
 PLATING: 15 μ " MIN. GOLD ON MATING AREA,
 150 μ " MIN. MATE TIN ON SOLDER TAILS.
 PACKAGING: TRAY PACKAGING.
 TEMPERATURE RANGE: -40°C TO +85°C
 STORAGE TEMPERATURE: -55°C TO +105°C

RoHS COMPLIANT

TITLE				DELEO 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP 2X4 CAGE+CONNECTOR								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-1N3D001-00B								
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1"	SCALE: 1:1	SHEET:3/6	REV:C
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5"			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				




DETAIL LIGHT PIPE LOCATION AND OTHER ZONES
DETAIL K
2:1


1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD							
SFP 2X4 CAGE+CONNECTOR											
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4			
DH10-1N3D001-00B											
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1		SHEET:4/6		REV:C	
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°						
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10							


RoHS COMPLIANT




PACKAGE INFORMATION AND LABLE




1. 9PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES
FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	36 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS COMPLIANT

TITLE				DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司				
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-1N3D001-00B								
DRAW	Aaron	DATE	2023-5-8	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:C
CHECK	Aaron	DATE	2023-5-8	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-5-8	.XXX±0.10				