

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL☐ CONCESSIONARY☐ REJECTED

ISSUED BY :
CHECKED BY:
APPROVED BY:
COMMENTS :

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1'		SCALE: 1:1	SHEET: 1/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5'				
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10					

RoHS COMPLIANT




THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010




PRODUCT DRAWING

	1	2	3	4	5	6	7	8																																								
H	ISSUE RECORD																																															
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE																																									
	A	FIRST ISSUE			Aaron	Victor	2021-03-03																																									
G	B	UPDATE DRAWING			Aaron	Victor	2022-12-17																																									
F																																																
E																																																
D																																																
C																																																
B																																																
A	RoHS COMPLIANT				<table><tr><td colspan="4">TITLE</td><td colspan="2">ELEC</td><td colspan="2">东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD</td></tr><tr><td colspan="4">PART NO.</td><td colspan="2">GENERAL TOLERANCE</td><td colspan="2"></td><td>UNIT:MM</td><td>SIZE: A4</td></tr><tr><td>DRAW</td><td>Aaron</td><td>DATE</td><td>2022-12-17</td><td>.X±0.20</td><td>.X±1°</td><td colspan="2" rowspan="3">SCALE: 1:1</td><td rowspan="3">SHEET: 2/6</td><td rowspan="3">REV:B</td></tr><tr><td>CHECK</td><td>Aaron</td><td>DATE</td><td>2022-12-17</td><td>.XX±0.15</td><td>.XX±5°</td></tr><tr><td>APPROVE</td><td>Victor</td><td>DATE</td><td>2022-12-17</td><td>.XXX±0.10</td><td></td></tr></table>				TITLE				ELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		PART NO.				GENERAL TOLERANCE				UNIT:MM	SIZE: A4	DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 2/6	REV:B	CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°	APPROVE	Victor	DATE	2022-12-17	.XXX±0.10	
TITLE				ELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD																																										
PART NO.				GENERAL TOLERANCE				UNIT:MM	SIZE: A4																																							
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 2/6	REV:B																																							
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°																																											
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10																																												
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION																																																
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN																																																

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING



NOTES:

MATERIAL:

CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM

CONNECTOR:

PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.

SPRING: STAINLESS STEEL, THICKNESS 0.20mm

CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm


PLATING: 15μ" MIN. GOLD ON MATING AREA,

150μ" MIN. MATE TIN ON SOLDER TAILS.

PACKAGING: TRAY PACKAGING.

TEMPERATURE RANGE: -40°C TO +85°C


STORAGE TEMPERATURE: -55°C TO +105°C

TITLE				ELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
SFP+ 2X1 CAGE+CONNECTOR									
PART NO.				GENERAL TOLERANCE				UNIT:MM	SIZE: A4
DH10-2N3A230-06B									
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 3/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10					

RoHS COMPLIANT

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND .




THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB

RECOMMENDED PCB CONFIGURATION

TITLE SFP+ 2X1 CAGE+CONNECTOR				ELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3A230-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 4/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				


RoHS COMPLIANT




RoHS COMPLIANT

TITLE				ELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X1 CAGE+CONNECTOR								
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DH10-2N3A230-06B						SCALE: 1:1	SHEET: 5/6	REV:B
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°			
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				


PACKAGE INFORMATION AND LABLE




1. 20PCS PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	140 PCS
TRAY	7 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE				ELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X1 CAGE+CONNECTOR								
PART NO. DH10-2N3A230-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				

RoHS COMPLIANT