

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL☐ CONCESSIONARY☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____


TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Aaron	DATE	2022-12-19	.X±0.20	.X±1°		SCALE: 1:1	SHEET: 1/6	REV:B
CHECK	Aaron	DATE	2022-12-19	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2022-12-19	.XXX±0.10					

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN



BY DUOYA CONNECTOR CORPORATION
© COPYRIGHT 2010
PRODUCT DRAWING

	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
	A	FIRST ISSUE			Aaron	Victor	2021-01-01			
G	B	UPDATE DRAWING			Aaron	Victor	2022-12-19			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP+ 2X4 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-2N3D230-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Aaron	DATE	2022-12-19	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 2/6	REV:B
		CHECK	Aaron	DATE	2022-12-19	.XX±0.15	.XX±5°			
		APPROVE	Victor	DATE	2022-12-19	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										




BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010


PRODUCT DRAWING



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD




DETAIL A
1:1




NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C

TITLE SFP+ 2X4 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3D230-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-19	.X±0.20	.X±1°	SCALE: 1:1	SHEET:3/6	REV:B
CHECK	Aaron	DATE	2022-12-19	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-19	.XXX±0.10				

RoHS COMPLIANT





H
G
F
E
D
C
B
A

RoHS COMPLIANT


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN


TITLE SFP+ 2X4 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3D230-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-19	.X±0.20	.X±1°	SCALE: 1:1	SHEET:5/6	REV:B
CHECK	Aaron	DATE	2022-12-19	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-19	.XXX±0.10				

PRODUCT DRAWING © COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION


PACKAGE INFORMATION AND LABEL




1. 9PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR
TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	36 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD								
SFP+ 2X4 CAGE+CONNECTOR												
PART NO.				GENERAL TOLERANCE					UNIT:MM		SIZE: A4	
DH10-2N3D230-00B												
DRAW	Aaron	DATE	2022-12-19	.X±0.20	.X±1°		SCALE: 1:1		SHEET: 6/6		REV:B	
CHECK	Aaron	DATE	2022-12-19	.XX±0.15	.XX±5°							
APPROVE	Victor	DATE	2022-12-19	.XXX±0.10								

RoHS COMPLIANT