

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Aaron	DATE	2023-05-06	.X±0.35	.X±1°		SCALE: 1:1	SHEET: 1/6	REV:C
CHECK	Aaron	DATE	2023-05-06	.XX±0.25	.XX±5°				
APPROVE	Victor	DATE	2023-05-06	.XXX±0.10					

RoHS COMPLIANT


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION


EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING



	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
	A	FIRST ISSUE			Aaron	Victor	2021-01-01			
G	B	UPDATE DRAWING			Aaron	Victor	2022-12-17			
	C	UPDATE DRAWING			Aaron	Victor	2023-5-6			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP 2X6 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-1N3G002-05B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Aaron	DATE	2023-05-06	.X±0.35	.X±1"	SCALE: 1:1	SHEET: 2/6	REV:C
		CHECK	Aaron	DATE	2023-05-06	.XX±0.25	.XX±5"			
		APPROVE	Victor	DATE	2023-05-06	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										
BY DUOYA CONNECTOR CORPORATION										
© COPYRIGHT 2010										
PRODUCT DRAWING										




NOTES:

MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM


CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.
PACKAGING: TRAY PACKAGING.
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C



DETAIL A
1:1

TITLE				DELEC						东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD							
SFP 2X6 CAGE+CONNECTOR																	
PART NO.				DH10-1N3G002-05B				GENERAL TOLERANCE					UNIT:MM		SIZE: A4		
DRAW		Aaron		DATE		2023-05-06		.X±0.35		.X±1°		SCALE: 1:1		SHEET:3/6		REV:C	
CHECK		Aaron		DATE		2023-05-06		.XX±0.25		.XX±5°							
APPROVE		Victor		DATE		2023-05-06		.XXX±0.10									


RoHS COMPLIANT



BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010


PRODUCT DRAWING




RoHS COMPLIANT

TITLE SFP 2X6 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N3G002-05B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-05-06	.X±0.35	.X±1°		SCALE: 1:1	SHEET:5/6
CHECK	Aaron	DATE	2023-05-06	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-05-06	.XXX±0.10				REV:C


PACKAGE INFORMATION AND LABEL



1. 6PCS PRODUCTS IN TRAYS




2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	24 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)



4. LABEL & PACKAGING TAPES FOR BOX

TITLE SFP 2X6 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N3G002-05B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2023-05-06	.X±0.35	.X±1°	SCALE: 1:1	SHEET:6/6	REV:C
CHECK	Aaron	DATE	2023-05-06	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2023-05-06	.XXX±0.10				

RoHS COMPLIANT