

	1	2	3	4	5	6	7	8																																						
H																																														
G																																														
F	DELEC <table><tr><td>MARKETING GROUP</td><td>R&D GROUP</td><td>QA GROUP</td></tr><tr><td>ISSUED BY</td><td>CHECKED BY</td><td>QA INSPECTION</td></tr><tr><td>Ryan</td><td>Victor</td><td>Liu Ting</td></tr></table> CUSTOMER CUSTOMER APPROVAL: ☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED ISSUED BY : _____ CHECKED BY: _____ APPROVED BY: _____ COMMENTS : _____ _____								MARKETING GROUP	R&D GROUP	QA GROUP	ISSUED BY	CHECKED BY	QA INSPECTION	Ryan	Victor	Liu Ting																													
MARKETING GROUP	R&D GROUP	QA GROUP																																												
ISSUED BY	CHECKED BY	QA INSPECTION																																												
Ryan	Victor	Liu Ting																																												
E																																														
D	CUSTOMER: _____ CUSTOMER PART NO: _____ SAMPLE Q'TY: _____ SAMPLE DATE: _____																																													
C																																														
B																																														
A	RoHS COMPLIANT <table><tr><td colspan="4">TITLE</td><td colspan="4">DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD</td></tr><tr><td colspan="4">PART NO.</td><td colspan="2">GENERAL TOLERANCE</td><td></td><td>UNIT:MM</td><td>SIZE: A4</td></tr><tr><td>DRAW</td><td>Ryan</td><td>DATE</td><td>2026-08-28</td><td>.X±0.20</td><td>.X±1°</td><td rowspan="3">SCALE: 1:1</td><td rowspan="3">SHEET: 1/6</td><td rowspan="3">REV:A</td></tr><tr><td>CHECK</td><td>Ryan</td><td>DATE</td><td>2026-08-28</td><td>.XX±0.15</td><td>.XX±5°</td></tr><tr><td>APPROVE</td><td>Victor</td><td>DATE</td><td>2026-08-28</td><td>.XXX±0.10</td><td></td></tr></table>								TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A	CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°	APPROVE	Victor	DATE	2026-08-28	.XXX±0.10	
TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD																																										
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4																																						
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A																																						
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°																																									
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10																																										


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING



1 2 3 4 5 6 7 8

H
G
F
E
D
C
B
A

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS

14 HOLES (SHOWN AS ⊕)
Ø1.05±0.05
Ø0.1(A)(B)
-C-

20 HOLES (SHOWN AS ●)
Ø0.95±0.05
Ø0.1(C)(S)

THIS AREA DENOTES
COMPONENT KEEP-OUT
(TRACES ALLOWED)

DETAIL H

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD	
SFP+ 1X4 CAGE,W/HEAT SINK & LIGHT PIPE				PART NO.		GENERAL TOLERANCE	
DH10-2N34003-12N				DH10-2N34003-12N		SCALE: 1:1	
DRAW		Ryan	DATE	2026-08-28	.X±0.20	.X±1°	UNIT:MM
CHECK		Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°	SIZE: A4
APPROVE		Victor	DATE	2026-08-28	.XXX±0.10		SHEET: 4/6
						REV:A	

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

1 2 3 4 5 6 7 8

H
G
F
E
D
C
B
A

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS

7.75 TYP.
3.875 TYP.
2.00 TYP.
6.50 TYP.
11.925 TYP.
2.325 TYP.
20 HOLES (SHOWN AS ●)
Ø0.95±0.05
Ø0.1(C)(S)
3.875 TYP.
1.00 TYP.
THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)
32.10
30.00
27.50
25.90
22.50
20.00
17.80
15.00
10.00
2.00 TYP.
9.50
5.00
14.25
28.50
42.75
57.00
26.80
41.30
42.30
44.55
1.00
2.00 TYP.
1.00
14 HOLES (SHOWN AS ⊕)
Ø1.05±0.05
Ø0.1(A)(B)
-C-
-A-
-B-

DETAIL H

8.05
6.50
1.40
0.80 TYP.
LIGHT PIPE AREA
Ø1.55±0.05
Ø0.1(C)(S)(D)(S)
-E-
Ø1.55±0.05
Ø0.1(C)(S)(E)(S)
-D-
2.00±0.05
Ø0.06(C)(D)(S)(E)(S)
20 PLC
0.50±0.03
Ø0.06(S)(D)(S)(E)(S)
1.00
9.60
4.10
4.10
2X3.56±0.10
2.54

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
SFP+ 1X4 CAGE,W/HEAT SINK & LIGHT PIPE								
PART NO. DH10-2N34003-12N				GENERAL TOLERANCE		UNIT:MM		SIZE: A4
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 4/6
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10				

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING BY DUOYA CONNECTOR CORPORATION © COPYRIGHT 2010

1 2 3 4 5 6 7 8

H
G
F
E
D
C
B
A

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS

7.75 TYP.
3.875 TYP.
2.00 TYP.
6.50 TYP.
11.925 TYP.
2.325 TYP.
20 HOLES (SHOWN AS ●)
Ø0.95±0.05
Ø0.1(C)(S)
3.875 TYP.
1.00 TYP.
THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)
32.10
30.00
27.50
25.90
22.50
20.00
17.80
15.00
10.00
2.00 TYP.
9.50
5.00
14.25
28.50
42.75
57.00
26.80
41.30
42.30
44.55
1.00
2.00 TYP.
1.00
14 HOLES (SHOWN AS ⊕)
Ø1.05±0.05
Ø0.1(A)(B)
-C-
-A-
-B-

DETAIL H

8.05
6.50
1.40
0.80 TYP.
LIGHT PIPE AREA
Ø1.55±0.05
Ø0.1(C)(S)(D)(S)
-E-
Ø1.55±0.05
Ø0.1(C)(S)(E)(S)
-D-
2.00±0.05
Ø0.06(C)(D)(S)(E)(S)
20 PLC
0.50±0.03
Ø0.06(S)(D)(S)(E)(S)
1.00
9.60
4.10
4.10
2X3.56±0.10
2.54

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD								
SFP+ 1X4 CAGE,W/HEAT SINK & LIGHT PIPE				PART NO.		GENERAL TOLERANCE		UNIT:MM		SIZE: A4				
DH10-2N34003-12N														
DRAW		Ryan	DATE	2026-08-28	.X±0.20		.X±1°		SCALE: 1:1		SHEET: 4/6		REV:A	
CHECK		Ryan	DATE	2026-08-28	.XX±0.15		.XX±5°							
APPROVE		Victor	DATE	2026-08-28	.XXX±0.10									

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING BY DUOYA CONNECTOR CORPORATION © COPYRIGHT 2010

1 2 3 4 5 6 7 8

H
G
F
E
D
C
B
A

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS

14 HOLES (SHOWN AS ⊕)
Ø1.05±0.05
Ø0.1(A)(B)
-C-

20 HOLES (SHOWN AS ●)
Ø0.95±0.05
Ø0.1(C)(S)

THIS AREA DENOTES
COMPONENT KEEP-OUT
(TRACES ALLOWED)

DETAIL H

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
SFP+ 1X4 CAGE,W/HEAT SINK & LIGHT PIPE				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
PART NO. DH10-2N34003-12N							SHEET: 4/6	REV:A
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 4/6	REV:A
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10				

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING

1 2 3 4 5 6 7 8

H
G
F
E
D
C
B
A

RECOMMENDED PCB CONFIGURATION
WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONS

14 HOLES (SHOWN AS ⊕)
Ø1.05±0.05
Ø0.1(A)(B)
-C-

20 HOLES (SHOWN AS ●)
Ø0.95±0.05
Ø0.1(C)(S)

THIS AREA DENOTES
COMPONENT KEEP-OUT
(TRACES ALLOWED)

DETAIL H

CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

DETAIL H
RECOMMENDED CONNECTOR LAYOUT
4X INDIVIDUALLY


TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
SFP+ 1X4 CAGE,W/HEAT SINK & LIGHT PIPE				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
PART NO. DH10-2N34003-12N								
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 4/6	REV:A
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10				

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN


PRODUCT DRAWING BY DUOYA CONNECTOR CORPORATION © COPYRIGHT 2010




RoHS COMPLIANT

BY DUOYA CONNECTOR CORPORATION
© COPYRIGHT 2010
PRODUCT DRAWING


PACKAGE INFORMATION AND LABLE




1. 12PCS PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	96 PCS
TRAY	8 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD			
SFP+ 1X4 CAGE,W/HEAT SINK & LIGHT PIPE									
PART NO. DH10-2N34003-12N				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Ryan	DATE	2026-08-28	.X±0.20	.X±1°		SCALE: 1:1	SHEET: 6/6	REV:A
CHECK	Ryan	DATE	2026-08-28	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2026-08-28	.XXX±0.10					

RoHS COMPLIANT