

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1'		SCALE: 1:1	SHEET: 1/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5'				
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10					

RoHS COMPLIANT


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010






PRODUCT DRAWING

	1	2	3	4	5	6	7	8			
H	ISSUE RECORD										
G	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE				
	A	FIRST ISSUE			Aaron	Victor	2021-03-03				
	B	UPDATE DRAWING			Aaron	Victor	2022-12-17				
F											
E											
D											
C											
B											
A											
RoHS COMPLIANT		TITLE				DELEC 东莞多亚电子有限公司					
		SFP+ 2X1 CAGE+CONNECTOR				DONGGUAN DUOYA ELECTRONICS CO., LTD					
		PART NO.				GENERAL TOLERANCE					
		DH10-2N3A230-00B						UNIT:MM			
		DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1'	SCALE: 1:1	SHEET: 2/6	REV:B	
		CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5'				
		APPROVE	Victor	DATE	2022-12-17	.XXX±0.10					
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION											
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN											

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD

NOTES:


MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM

CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
SPRING: STAINLESS STEEL, THICKNESS 0.20mm
CONTACTS: PHOSPHOR BRONZE, THICKNESS 0.20mm
PLATING: 15μ" MIN. GOLD ON MATING AREA,
150μ" MIN. MATE TIN ON SOLDER TAILS.


PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C

TITLE SFP+ 2X1 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3A230-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1"	SCALE: 1:1	SHEET: 3/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5"			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				


RoHS COMPLIANT




RoHS COMPLIANT




RoHS COMPLIANT

TITLE SFP+ 2X1 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-2N3A230-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 5/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				


PACKAGE INFORMATION AND LABEL




1. 20PCS PRODUCTS IN TRAYS



2. TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	140 PCS
TRAY	7 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X1 CAGE+CONNECTOR								
PART NO. DH10-2N3A230-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-17	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:B
CHECK	Aaron	DATE	2022-12-17	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-17	.XXX±0.10				

RoHS COMPLIANT