

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Iror	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL☐ CONCESSIONARY☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1°		SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5°				
APPROVE	Victor	DATE	2024-01-26	.XXX±0.10					

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING

	1	2	3	4	5	6	7	8
H	ISSUE RECORD							
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE	
G	A	FIRST ISSUE			Iror	Victor	2024-01-26	
F								
E								
D								
C								
B								
A								


RoHS COMPLIANT

TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD			
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1"		SCALE: 1:1	SHEET: 2/6	REV:A
CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5"				
APPROVE	Victor	DATE	2024-01-26	.XXX±0.10					


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION


EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING
© COPYRIGHT 2010
BY DUOYA CONNECTOR CORPORATION



NOTES:
MATERIAL:
CAGE: COPPER ALLOY
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
TEMPERATURE RANGE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C

TITLE SFP 2X3 CAGE+CONNECTOR						DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-1N3C001-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1°		SCALE: 1:1	SHEET:3/6
CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2024-01-26	.XXX±0.10				REV:A



DETAIL H
2:1

DETAIL LIGHT PIPE LOCATION AND OTHER ZONES
DETAIL K
2:1


1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD							
SFP 2X3 CAGE+CONNECTOR											
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4			
DH10-1N3C001-06B											
DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1°	SCALE: 1:1		SHEET: 4/6		REV:A	
CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5°						
APPROVE	Victor	DATE	2024-01-26	.XXX±0.10							

RoHS COMPLIANT



RECOMMENDED BEZEL DESIGN

RoHS COMPLIANT

