

SPECIFICATION FOR APPROVAL

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY :

CHECKED BY:

APPROVED BY:

COMMENTS :


CUSTOMER: _____


CUSTOMER PART NO: _____

SAMPLE Q'TY: _____


SAMPLE DATE: _____

RoHS COMPLIANT

TITLE SFP+ 2X12 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-2N3L930-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-29	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Aaron	DATE	2024-01-29	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10				






	1	2	3	4	5	6	7	8			
H	ISSUE RECORD										
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE				
	A	FIRST ISSUE			Jason	De	2024-01-29				
G											
F											
E											
D											
C											
B											
A											
RoHS COMPLIANT		TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
		SFP+ 2X12 CAGE+CONNECTOR									
		PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
		DH10-2N3L930-06B									
		DRAW	Aaron	DATE	2024-01-29	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 2/6	REV:A	
		CHECK	Aaron	DATE	2024-01-29	.XX±0.25	.XX±5°				
		APPROVE	Victor	DATE	2024-01-29	.XXX±0.10					
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION											
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN											

BY DUOYA CONNECTOR CORPORATION © COPYRIGHT 2010 PRODUCT DRAWING



BOTTOM VIEW


NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C




CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD

RoHS COMPLIANT


TITLE SFP+ 2X12 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO. DH10-2N3L930-06B				GENERAL TOLERANCE		UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-29	.X±0.35	.X±1°	SCALE: 1:1	SHEET:3/6
CHECK	Aaron	DATE	2024-01-29	.XX±0.25	.XX±5°		
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10			




PACKAGE INFORMATION AND LABLE




1. 3PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	12 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS COMPLIANT

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X12 CAGE+CONNECTOR								
PART NO. DH10-2N3L930-06B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-29	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:A
CHECK	Aaron	DATE	2024-01-29	.XX±0.25	.XX±5°			
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10				