

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC		东莞多亚电子有限公司	
SFP+ 2X4 CAGE+CONNECTOR						DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO.				GENERAL TOLERANCE			UNIT:MM
DH10-2N3D230-05B						SCALE: 1:1	SIZE: A4
DRAW	Aaron	DATE	2022-12-20	.X±0.20	.X±1°	SHEET: 1/6	REV:B
CHECK	Aaron	DATE	2022-12-20	.XX±0.15	.XX±5°		
APPROVE	Victor	DATE	2022-12-20	.XXX±0.10			

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING

12345678

H

G

F

E

D

C

B

A

ISSUE RECORD

REV	DESCRIPTION OF CHANGE	REVIEWED BY	APPROVED BY	ISSUE DATE
A	FIRST ISSUE	Aaron	Victor	2021-01-01
B	UPDATE DRAWING	Aaron	Victor	2022-12-20

TITLE

SFP+ 2X4 CAGE+CONNECTOR

PART NO.

DH10-2N3D230-05B

DRAW

Aaron

DATE

2022-12-20

.X±0.20

.X±1°

CHECK

Aaron

DATE

2022-12-20

.XX±0.15

.XX±5°

APPROVE

Victor

DATE

2022-12-20

.XXX±0.10

DELEC

东莞多亚电子有限公司
DONGGUAN DUOYA ELECTRONICS CO., LTD

SCALE: 1:1

UNIT:MM

SHEET: 2/6

SIZE: A4

REV:B

RoHS COMPLIANT





THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN



PRODUCT DRAWING

© COPYRIGHT 2010

BY DUOYA CONNECTOR CORPORATION



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD





DETAIL A
1:1

NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING.
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C


TITLE SFP+ 2X4 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3D230-05B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-20	.X±0.20	.X±1°	SCALE: 1:1	SHEET:3/6	REV:B
CHECK	Aaron	DATE	2022-12-20	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-20	.XXX±0.10				

RoHS COMPLIANT







PACKAGE INFORMATION AND LABEL




1. 9PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)




3. LABEL & PACKAGING TAPES FOR
TRAYS:



4. LABEL & PACKAGING TAPES FOR BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	36 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

TITLE SFP+ 2X4 CAGE+CONNECTOR				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3D230-05B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2022-12-20	.X±0.20	.X±1°		SCALE: 1:1	SHEET: 6/6
CHECK	Aaron	DATE	2022-12-20	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2022-12-20	.XXX±0.10				REV:B

RoHS COMPLIANT