

SPECIFICATION FOR APPROVAL

|                 |            |               |
|-----------------|------------|---------------|
| DELEC           |            |               |
| MARKETING GROUP | R&D GROUP  | QA GROUP      |
| ISSUED BY       | CHECKED BY | QA INSPECTION |
| Aaron           | Victor Ran | Liu Ting      |

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL      ☐ CONCESSIONARY      ☐ REJECTED

ISSUED BY : \_\_\_\_\_

CHECKED BY: \_\_\_\_\_

APPROVED BY: \_\_\_\_\_

COMMENTS : \_\_\_\_\_


CUSTOMER: \_\_\_\_\_


CUSTOMER PART NO: \_\_\_\_\_

SAMPLE Q'TY: \_\_\_\_\_

SAMPLE DATE: \_\_\_\_\_

RoHS COMPLIANT


|                                  |        |      |            |                                                         |        |                                                                                       |            |          |
|----------------------------------|--------|------|------------|---------------------------------------------------------|--------|---------------------------------------------------------------------------------------|------------|----------|
| TITLE<br>SFP 2X12 CAGE+CONNECTOR |        |      |            | DELEC 东莞多亚电子有限公司<br>DONGGUAN DUOYA ELECTRONICS CO., LTD |        |                                                                                       |            |          |
| PART NO.<br>DH10-1N3L001-04B     |        |      |            | GENERAL TOLERANCE                                       |        |  | UNIT:MM    | SIZE: A4 |
| DRAW                             | Aaron  | DATE | 2024-01-29 | .X±0.35                                                 | .X±1°  | SCALE: 1:1                                                                            | SHEET: 1/6 | REV:A    |
| CHECK                            | Aaron  | DATE | 2024-01-29 | .XX±0.25                                                | .XX±5° |                                                                                       |            |          |
| APPROVE                          | Victor | DATE | 2024-01-29 | .XXX±0.10                                               |        |                                                                                       |            |          |

|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|-----------------------------------------------------------------------|-------------------------|-------------------------|--------|------|-------------|---------------------------------------------------------|------------|---------------------------------------------------------------------------------------|------------|----------|--|
|                                                                       | 1                       | 2                       | 3      | 4    | 5           | 6                                                       | 7          | 8                                                                                     |            |          |  |
| H                                                                     | <div>ISSUE RECORD</div> |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       | REV                     | DESCRIPTION OF CHANGE   |        |      | REVIEWED BY | APPROVED BY                                             | ISSUE DATE |                                                                                       |            |          |  |
|                                                                       | A                       | FIRST ISSUE             |        |      | Jason       | De                                                      | 2024-01-29 |                                                                                       |            |          |  |
| G                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| F                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| E                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| D                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| C                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| B                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| A                                                                     |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| RoHS COMPLIANT                                                        |                         | TITLE                   |        |      |             | DELEC 东莞多亚电子有限公司<br>DONGGUAN DUOYA ELECTRONICS CO., LTD |            |                                                                                       |            |          |  |
|                                                                       |                         | SFP 2X12 CAGE+CONNECTOR |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         | PART NO.                |        |      |             | GENERAL TOLERANCE                                       |            |  | UNIT:MM    | SIZE: A4 |  |
|                                                                       |                         | DH10-1N3L001-04B        |        |      |             |                                                         |            |                                                                                       |            |          |  |
|                                                                       |                         | DRAW                    | Aaron  | DATE | 2024-01-29  | .X±0.35                                                 | .X±1"      | SCALE: 1:1                                                                            | SHEET: 2/6 | REV:A    |  |
|                                                                       |                         | CHECK                   | Aaron  | DATE | 2024-01-29  | .XX±0.25                                                | .XX±5"     |                                                                                       |            |          |  |
|                                                                       |                         | APPROVE                 | Victor | DATE | 2024-01-29  | .XXX±0.10                                               |            |                                                                                       |            |          |  |
| THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |
| EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN         |                         |                         |        |      |             |                                                         |            |                                                                                       |            |          |  |





BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING






NOTES:  
MATERIAL:  
CAGE: COPPER ALLOY  
CONNECTOR:  
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.  
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR  
SPRING: STAINLESS STEEL  
CONTACTS: PHOSPHOR BRONZE  
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,  
150u" MATTE TIN ON SOLDER TAILS  
PACKAGING: TRAY PACKAGING.  
TEMPERATURE RANGE: -40°C TO +85°C  
STORAGE TEMPERATURE: -55°C TO +105°C



RoHS COMPLIANT

|                         |        |      |            |                                     |        |                                                                                       |           |          |            |  |  |
|-------------------------|--------|------|------------|-------------------------------------|--------|---------------------------------------------------------------------------------------|-----------|----------|------------|--|--|
| TITLE                   |        |      |            | DELEC                               |        |                                                                                       |           |          | 东莞多亚电子有限公司 |  |  |
| SFP 2X12 CAGE+CONNECTOR |        |      |            | DONGGUAN DUOYA ELECTRONICS CO., LTD |        |                                                                                       |           |          |            |  |  |
| PART NO.                |        |      |            | GENERAL TOLERANCE                   |        |  | UNIT:MM   | SIZE: A4 |            |  |  |
| DH10-1N3L001-04B        |        |      |            |                                     |        |                                                                                       |           |          |            |  |  |
| DRAW                    | Aaron  | DATE | 2024-01-29 | .X±0.35                             | .X±1°  | SCALE: 1:1                                                                            | SHEET:3/6 | REV:A    |            |  |  |
| CHECK                   | Aaron  | DATE | 2024-01-29 | .XX±0.25                            | .XX±5° |                                                                                       |           |          |            |  |  |
| APPROVE                 | Victor | DATE | 2024-01-29 | .XXX±0.10                           |        |                                                                                       |           |          |            |  |  |



THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB


DETAIL LIGHT PIPE LOCATION AND OTHER ZONES  
DETAIL K  
2:1

NOTES:


1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

|                              |        |      |            |                                                         |        |                                                                                       |           |          |  |
|------------------------------|--------|------|------------|---------------------------------------------------------|--------|---------------------------------------------------------------------------------------|-----------|----------|--|
| TITLE                        |        |      |            | DELEC 东莞多亚电子有限公司<br>DONGGUAN DUOYA ELECTRONICS CO., LTD |        |                                                                                       |           |          |  |
| SFP 2X12 CAGE+CONNECTOR      |        |      |            |                                                         |        |                                                                                       |           |          |  |
| PART NO.<br>DH10-1N3L001-04B |        |      |            | GENERAL TOLERANCE                                       |        |  | UNIT:MM   | SIZE: A4 |  |
| DRAW                         | Aaron  | DATE | 2024-01-29 | .X±0.35                                                 | .X±1°  | SCALE: 1:1                                                                            | SHEET:4/6 | REV:A    |  |
| CHECK                        | Aaron  | DATE | 2024-01-29 | .XX±0.25                                                | .XX±5° |                                                                                       |           |          |  |
| APPROVE                      | Victor | DATE | 2024-01-29 | .XXX±0.10                                               |        |                                                                                       |           |          |  |


RoHS COMPLIANT




PACKAGE INFORMATION AND LABLE




1. 3PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:  
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND  
PUT IT ON PREVIOUS TRAY.)  
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR  
BOX

| PACKAGING LISTS       |             |
|-----------------------|-------------|
| ITEM                  | Q'TY        |
| PRODUCT               | 12 PCS      |
| TRAY                  | 4 PCS       |
| BOX(L340*W265*H200MM) | 1 PCS       |
| LABLE                 | 2 PCS       |
| PACKAGING TAPES       | 8 M (ABOUT) |

RoHS COMPLIANT

|                                  |        |      |            |                                                                                |        |                                                                                       |            |          |
|----------------------------------|--------|------|------------|--------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------|------------|----------|
| TITLE<br>SFP 2X12 CAGE+CONNECTOR |        |      |            | <div>DELEC</div> <div>东莞多亚电子有限公司<br/>DONGGUAN DUOYA ELECTRONICS CO., LTD</div> |        |                                                                                       |            |          |
| PART NO.<br>DH10-1N3L001-04B     |        |      |            | GENERAL TOLERANCE                                                              |        |  | UNIT:MM    | SIZE: A4 |
| DRAW                             | Aaron  | DATE | 2024-01-29 | .X±0.35                                                                        | .X±1°  | SCALE: 1:1                                                                            | SHEET: 6/6 | REV:A    |
| CHECK                            | Aaron  | DATE | 2024-01-29 | .XX±0.25                                                                       | .XX±5° |                                                                                       |            |          |
| APPROVE                          | Victor | DATE | 2024-01-29 | .XXX±0.10                                                                      |        |                                                                                       |            |          |