

1	2	3	4	5	6	7	8	
H								
G								
F								
E								
D								
C								
B								
A								

DELEC

MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Iror	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL☐ CONCESSIONARY☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

CUSTOMER: _____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
PART NO.				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1'		SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5'				
APPROVE	Victor	DATE	2024-01-26	.XXX±0.10					

RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION


EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION


© COPYRIGHT 2010

PRODUCT DRAWING

	1	2	3	4	5	6	7	8		
H	ISSUE RECORD									
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE			
G	A	FIRST ISSUE			Iror	Victor	2024-01-26			
F										
E										
D										
C										
B										
A										
RoHS COMPLIANT		TITLE SFP 2X3 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
		PART NO. DH10-1N3C001-00B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
		DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1"	SCALE: 1:1	SHEET: 2/6	REV:A
		CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5"			
		APPROVE	Victor	DATE	2024-01-26	.XXX±0.10				
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION										
EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN										
BY DUOYA CONNECTOR CORPORATION										
© COPYRIGHT 2010										
PRODUCT DRAWING										



TITLE SFP 2X3 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO. DH10-1N3C001-00B				GENERAL TOLERANCE	
DRAW	Iror	DATE	2024-01-26	.X±0.35	.X±1°
CHECK	Iror	DATE	2024-01-26	.XX±0.25	.XX±5°
APPROVE	Victor	DATE	2024-01-26	.XXX±0.10	
				SCALE: 1:1	SHEET:3/6
					REV:A



Technical drawing of a mechanical part, likely a bracket or support, showing dimensions in millimeters. The drawing includes a side view and a cross-sectional view.

Dimensions:


- Overall width: 4.50
- Distance from centerline to outer edge: 3.95
- Distance from centerline to inner edge: 1.50
- Distance from centerline to mounting hole center: 1.25
- Distance from centerline to mounting hole center (cross-section): 1.90
- Distance from centerline to mounting hole center (cross-section): 0.35
- Distance from centerline to mounting hole center (cross-section): 0.25
- Overall height: 13.13
- Distance from top edge to mounting hole center: 10.06
- Distance from top edge to mounting hole center (cross-section): 7.85
- Distance from top edge to mounting hole center (cross-section): 7.11
- Distance from top edge to mounting hole center (cross-section): 4.90
- Distance from top edge to mounting hole center (cross-section): 2.56
- Distance from top edge to mounting hole center (cross-section): 1.90
- Distance from top edge to mounting hole center (cross-section): 0.35
- Distance from top edge to mounting hole center (cross-section): 0.25
- Distance from top edge to mounting hole center (cross-section): 7.50


THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.

RoHS COMPLIANT





RoHS COMPLIANT

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010

PRODUCT DRAWING