

SPECIFICATION FOR APPROVAL

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Aaron	Victor Ran	Liu Ting

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY :

CHECKED BY:

APPROVED BY:

COMMENTS :


CUSTOMER: _____




CUSTOMER PART NO: _____


SAMPLE Q'TY: _____

SAMPLE DATE: _____

RoHS COMPLIANT






TITLE SFP+ 2X12 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
PART NO. DH10-2N3L930-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 1/6	REV:A
CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10				

	1	2	3	4	5	6	7	8																																							
H	ISSUE RECORD																																														
	REV	DESCRIPTION OF CHANGE			REVIEWED BY	APPROVED BY	ISSUE DATE																																								
G	A	FIRST ISSUE			Jason	De	2024-01-29																																								
F																																															
E																																															
D																																															
C																																															
B																																															
A																																															
RoHS COMPLIANT		<table><tr><td colspan="4">TITLE</td><td colspan="2">DELEC</td><td colspan="2">东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD</td></tr><tr><td colspan="4">PART NO.</td><td colspan="2">GENERAL TOLERANCE</td><td colspan="2"></td><td>UNIT:MM</td><td>SIZE: A4</td></tr><tr><td>DRAW</td><td>Aaron</td><td>DATE</td><td>2024-01-29</td><td>.X±0.20</td><td>.X±1°</td><td colspan="2" rowspan="3">SCALE: 1:1</td><td rowspan="3">SHEET: 2/6</td><td rowspan="3">REV:A</td></tr><tr><td>CHECK</td><td>Aaron</td><td>DATE</td><td>2024-01-29</td><td>.XX±0.15</td><td>.XX±5°</td></tr><tr><td>APPROVE</td><td>Victor</td><td>DATE</td><td>2024-01-29</td><td>.XXX±0.10</td><td></td></tr></table>				TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		PART NO.				GENERAL TOLERANCE				UNIT:MM	SIZE: A4	DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 2/6	REV:A	CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°	APPROVE	Victor	DATE	2024-01-29	.XXX±0.10			
TITLE				DELEC		东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD																																									
PART NO.				GENERAL TOLERANCE				UNIT:MM	SIZE: A4																																						
DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°	SCALE: 1:1		SHEET: 2/6	REV:A																																						
CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°																																										
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10																																											
THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION		EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN																																													
		BY DUOYA CONNECTOR CORPORATION																																													
		© COPYRIGHT 2010																																													
		PRODUCT DRAWING																																													



BOTTOM VIEW


NOTES:
MATERIAL:
CAGE: COPPER ALLOY NI-PLATED, THICKNESS 0.25 MM
CONNECTOR:
PLASTIC HOUSING: HIGH TEMPERATURE LCP, UL94 V-0.
LIGHT PIPE: POLYCARBONATE; COLOR: CLEAR
SPRING: STAINLESS STEEL
CONTACTS: PHOSPHOR BRONZE
CONTACT PLATING: 15u" MIN. GOLD ON MATING AREA,
150u" MATTE TIN ON SOLDER TAILS
PACKAGING: TRAY PACKAGING
OPERATING TEMPERATURE: -40°C TO +85°C
STORAGE TEMPERATURE: -55°C TO +105°C



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD

RoHS COMPLIANT


TITLE SFP+ 2X12 CAGE+CONNECTOR				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO. DH10-2N3L930-04B				GENERAL TOLERANCE		UNIT:MM
				SCALE: 1:1		SHEET:3/6
						REV:A
DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°	
CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°	
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10		




RECOMMENDED PCB CONFIGURATION

NOTES:

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. 1.05 mm DIAMETER HOLES ARE CHASSIS GROUND.



DETAIL H
2:1





DETAIL LIGHT PIPE LOCATION AND OTHER ZONES
DETAIL K
2:1


THE HATCHED AREA IN THIS VIEW INDICATES ZONES THAT ARE OCCUPIED BY THE PLASTIC HOUSING THAT SEATS AGAINST THE PCB AND BY THE VERTICAL METAL CAGE WALL THAT STOPS JUST SHORT OF THE PCB

RoHS COMPLIANT


TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
SFP+ 2X12 CAGE+CONNECTOR									
PART NO. DH10-2N3L930-04B				GENERAL TOLERANCE				UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°	SCALE: 1:1		SHEET:4/6	REV:A
CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10					



SECTION A-A



RECOMMENDED BEZEL DESIGN




DETAIL K
2:1


RoHS COMPLIANT

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD					
SFP+ 2X12 CAGE+CONNECTOR									
PART NO.				GENERAL TOLERANCE				UNIT:MM	SIZE: A4
DH10-2N3L930-04B									
DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°		SCALE: 1:1	SHEET:5/6	REV:A
CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°				
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10					


PACKAGE INFORMATION AND LABLE




1. 3PCS PRODUCTS IN TRAYS



2. 4PCS TRAYS OVERLAY:
(THE NEXT TRAY NEED ROTATE 180 DEGREE AND
PUT IT ON PREVIOUS TRAY.)
(相邻两个吸塑间水平方向成180度摆放)



3. LABEL & PACKAGING TAPES FOR TRAYS:



4. LABEL & PACKAGING TAPES FOR
BOX

PACKAGING LISTS	
ITEM	Q'TY
PRODUCT	12 PCS
TRAY	4 PCS
BOX(L340*W265*H200MM)	1 PCS
LABLE	2 PCS
PACKAGING TAPES	8 M (ABOUT)

RoHS COMPLIANT

TITLE				DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD				
SFP+ 2X12 CAGE+CONNECTOR								
PART NO. DH10-2N3L930-04B				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	Aaron	DATE	2024-01-29	.X±0.20	.X±1°	SCALE: 1:1	SHEET: 6/6	REV:A
CHECK	Aaron	DATE	2024-01-29	.XX±0.15	.XX±5°			
APPROVE	Victor	DATE	2024-01-29	.XXX±0.10				