





	1	2	3	4	5	6	7	8																																						
H																																														
G																																														
F	 MARKETING GROUP R&D GROUP ISSUED BY bin zou QA GROUP QA INSPECTION Ting Liu CUSTOMER CUSTOMER APPROVAL: ☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED ISSUED BY : _____ CHECKED BY: _____ APPROVED BY: _____ CUSTOMER: _____ CUSTOMER PART NO: _____ SAMPLE Q'TY: _____ COMMENTS : _____																																													
E																																														
D																																														
C																																														
B																																														
A	<table><tr><td colspan="6">TITLE 1X1 8P8C SIDE ENTRY JACK WITHOUT LED</td><td colspan="2"> 多亞電子有限公司 Duoya Electronics Co.,Ltd</td></tr><tr><td colspan="4">PART NO. DE55-1D1113A-001</td><td colspan="2">GENERAL TOLERANCE</td><td></td><td>UNIT:MM</td><td>SIZE: A4</td></tr><tr><td>DRAW</td><td>bin zou</td><td>DATE</td><td>2025.10.24</td><td>.X±0.35</td><td>.X±1°</td><td rowspan="3">SCALE: 1:1</td><td rowspan="3">SHEET: 1/4</td><td rowspan="3">REV:A</td></tr><tr><td>CHECK</td><td>bin zou</td><td>DATE</td><td>2025.10.24</td><td>.XX±0.25</td><td>.XX±0.5°</td></tr><tr><td>APPROVE</td><td>De</td><td>DATE</td><td>2025.10.24</td><td>.XXX±0.15</td><td></td></tr></table>								TITLE 1X1 8P8C SIDE ENTRY JACK WITHOUT LED						 多亞電子有限公司 Duoya Electronics Co.,Ltd		PART NO. DE55-1D1113A-001				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	DRAW	bin zou	DATE	2025.10.24	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 1/4	REV:A	CHECK	bin zou	DATE	2025.10.24	.XX±0.25	.XX±0.5°	APPROVE	De	DATE	2025.10.24	.XXX±0.15	
TITLE 1X1 8P8C SIDE ENTRY JACK WITHOUT LED						 多亞電子有限公司 Duoya Electronics Co.,Ltd																																								
PART NO. DE55-1D1113A-001				GENERAL TOLERANCE			UNIT:MM	SIZE: A4																																						
DRAW	bin zou	DATE	2025.10.24	.X±0.35	.X±1°	SCALE: 1:1	SHEET: 1/4	REV:A																																						
CHECK	bin zou	DATE	2025.10.24	.XX±0.25	.XX±0.5°																																									
APPROVE	De	DATE	2025.10.24	.XXX±0.15																																										

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: INFO@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

BY DUOYA CONNECTOR CORPORATION
© COPYRIGHT 2010
PRODUCT DRAWING

	1	2	3	4	5	6	7	8																																																																																															
H	<table><tr><th colspan="5">ISSUE RECORD</th></tr><tr><th>REV</th><th>DESCRIPTION OF CHANGE</th><th>REVIEWED BY</th><th>APPROVED BY</th><th>ISSUE DATE</th></tr><tr><td>A</td><td>FIRST ISSUE</td><td>bin zou</td><td>De</td><td>2025-10-24</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>								ISSUE RECORD					REV	DESCRIPTION OF CHANGE	REVIEWED BY	APPROVED BY	ISSUE DATE	A	FIRST ISSUE	bin zou	De	2025-10-24																																																																																
ISSUE RECORD																																																																																																							
REV									DESCRIPTION OF CHANGE	REVIEWED BY	APPROVED BY	ISSUE DATE																																																																																											
A									FIRST ISSUE	bin zou	De	2025-10-24																																																																																											
G																																																																																																							
F																																																																																																							
E																																																																																																							
D																																																																																																							
C																																																																																																							
B																																																																																																							
A																																																																																																							

TITLE 1X1 8P8C SIDE ENTRY JACK WITHOUT LED						 多亞電子有限公司 Duoya Electronics Co.,Ltd			
PART NO. DE55-1D1113A-001				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	bin zou	DATE	2025.10.24	.X±0.35	.X±1°		SCALE: 1:1	SHEET: 2/4	REV:A
CHECK	bin zou	DATE	2025.10.24	.XX±0.25	.XX±0.5°				
APPROVE	De	DATE	2025.10.24	.XXX±0.15					




THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: INFO@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

PRODUCT DRAWING

(B) COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION

MECHANICAL DIMENSION



SPECIFICATION AND PERFORMANCE

1 Scope

This specification covers the requirements for product performance, tests and quality assurance provisions for side entry PCB jack

2 Applicable document

The following documents form a part of this specification to the extent specified herein. In the event of conflict between the requirements of this specification and the product drawing shall take precedence

3 Materials

Housing: Glass filled polyester UL94V-0, pantone Black
Contact: copper clad steel wire diameter 0.46mm round Pin
Shielded: 0.20 thickness brass with nickel plated.
Plating: Fu"Gold plating over nickel
PCB retention fre-solder: 1LB min.

4 Mechanical characteristics:

Durability: 750(modular jack) insertion/plug dimension cycles
Mates with modular plug conforming to FCC part 68 subpart F

5. Electrical


Current rating: 1.5AMP
Voltage rating: 125VAC max.
Contact resistance: 30 milliohms max.
Insulation resistance: 500 megohms min. @500 VDC.
Dielectric strength: 1000 VAC RMS 60Hz, 1min.

6. Environmental:

Operating temperature: 0°C~+70°C
Storage temperature: -40°C~+85°C

7. Applicable printed circuit board

The product is designed to meet the electrical, mechanical and environmental performance requirements specified in product drawing

TITLE 1X1 8P8C SIDE ENTRY JACK WITHOUT LED						 多亞電子有限公司 Duoya Electronics Co.,Ltd		
PART NO. DE55-1D1113A-001				GENERAL TOLERANCE		 SCALE: 1:1	UNIT:MM	SIZE: A4
DRAW	bin zou	DATE	2025.10.24	.X±0.35	.X±1°		SHEET: 3/4	REV:A
CHECK	bin zou	DATE	2025.10.24	.XX±0.25	.XX±0.5°			
APPROVE	De	DATE	2025.10.24	.XXX±0.15				

H

PACKAGE INFORMATION AND LABLE

G

F


E

D

C


B

A



PACKING QUANTITY : 153 PCS FINISHED GOODS PER TRAY
20 TRAYS (3060 PCS FINISHED GOODS) PER CARTON BOX

NOTE : CARDBOARDS ARE PLACED BETWEEN LAYERS OF PACKING TRAY INSIDE CARTON BOX
(INCLUDE THE UPPERMOST AND LOWERMOST TRAY)

TITLE 1X1 8P8C SIDE ENTRY JACK WITHOUT LED						 多亞電子有限公司 Duoya Electronics Co.,Ltd		
PART NO. DE55-1D1113A-001				GENERAL TOLERANCE			UNIT:MM	SIZE: A4
DRAW	bin zou	DATE	2025.10.24	X±0.35	.X±1°		SCALE: 1:1	SHEET: 4/4
CHECK	bin zou	DATE	2025.10.24	.XX±0.25	.XX±0.5°			
APPROVE	De	DATE	2025.10.24	.XXX±0.15				REV:A