


PRODUCT DRAWING			
-----------------	--	--	--

	1	2	3	4	5	6	7	8																																																																																															
H	<table><tr><th colspan="5">ISSUE RECORD</th></tr><tr><th>REV</th><th>DESCRIPTION OF CHANGE</th><th>DRAW</th><th>APPROVE</th><th>ISSUE DATE</th></tr><tr><td>A</td><td>FIRST ISSUE</td><td>ZENG</td><td>De</td><td>2026-02-06</td></tr><tr><td>B</td><td>UPDATED DRAWING: ADD TOLERANCE ON SOME DIMS</td><td>ZENG</td><td>De</td><td>2026-03-10</td></tr><tr><td>C</td><td>Update drawings to match physical samples</td><td>Sue</td><td>De</td><td>2026-05-28</td></tr><tr><td>D</td><td>Added TIA/EIA 568 & IEC 60603-7 specification requirements</td><td>chen</td><td>De</td><td>2026-08-11</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>								ISSUE RECORD					REV	DESCRIPTION OF CHANGE	DRAW	APPROVE	ISSUE DATE	A	FIRST ISSUE	ZENG	De	2026-02-06	B	UPDATED DRAWING: ADD TOLERANCE ON SOME DIMS	ZENG	De	2026-03-10	C	Update drawings to match physical samples	Sue	De	2026-05-28	D	Added TIA/EIA 568 & IEC 60603-7 specification requirements	chen	De	2026-08-11																																																																	
ISSUE RECORD																																																																																																							
REV									DESCRIPTION OF CHANGE	DRAW	APPROVE	ISSUE DATE																																																																																											
A									FIRST ISSUE	ZENG	De	2026-02-06																																																																																											
B									UPDATED DRAWING: ADD TOLERANCE ON SOME DIMS	ZENG	De	2026-03-10																																																																																											
C									Update drawings to match physical samples	Sue	De	2026-05-28																																																																																											
D									Added TIA/EIA 568 & IEC 60603-7 specification requirements	chen	De	2026-08-11																																																																																											
G																																																																																																							
F																																																																																																							
E																																																																																																							
D																																																																																																							
C																																																																																																							
B																																																																																																							
A																																																																																																							

TITLE 1X1 RJ45 8P8C SIDE ENTRY JACK WITH SHIELD						 多亞電子有限公司 Duoya Electronics Co.,Ltd			
PART NO. DY58-QD111C3-00F				GENERAL TOLERANCE			UNIT:MM	SIZE: A4	
DRAW	chen	DATE	2026.08.11	.X±0.35	.X±1°		SCALE: 1:1	SHEET: 2/5	REV:D
CHECK	Li	DATE	2026.08.11	.XX±0.25	.XX±0.5°				
APPROVE	De	DATE	2026.08.11	.XXX±0.15					


THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: INFO@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN


PRODUCT DRAWING

BY DUOYA CONNECTOR CORPORATION

© COPYRIGHT 2010




SUGGESTED PANEL OPENING AND RECOMMENDED



ADD RECOMMENDED PANEL OPENING SIZE

CONNECTOR ASSEMBLED PANEL AND PCB

THE DISTANCE OF PANEL INSIDE SURFACE RELATIVE TO FRONT SURFACE OF PART IS ONLY A SUGGESTION.
IN CASE THIS DISTANCE IS DIFFERENT, THE REQUIRED PANEL OPENING DIMENSIONS CHANGE ACCORDINGLY.

TITLE 1X1 RJ45 8P8C SIDE ENTRY JACK WITH SHIELD						 多亞電子有限公司 Duoya Electronics Co.,Ltd		
PART NO. DY58-QD111C3-00F				GENERAL TOLERANCE		 SCALE: 1:1	UNIT:MM	SIZE: A4
DRAW	chen	DATE	2026.08.11	X±0.35	.X±1°		SHEET: 3/5	REV:D
CHECK	Li	DATE	2026.08.11	.XX±0.25	.XX±0.5°			
APPROVE	De	DATE	2026.08.11	.XXX±0.15				

