SPECIFICATION FOR APPROVAL

RoHS Compliant

DELEC		
MARKETING GROUP	R&D GROUP	QA GROUP
ISSUED BY	CHECKED BY	QA INSPECTION
Iror	Victor	Liu Ting

CUSTOMER:_____

CUSTOMER PART NO: _____

SAMPLE Q'TY: _____

SAMPLE DATE: _____

CUSTOMER

CUSTOMER APPROVAL:

☐ APPROVAL ☐ CONCESSIONARY ☐ REJECTED

ISSUED BY : _____

CHECKED BY: _____

APPROVED BY: _____

COMMENTS : _____

_____

TITLE	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS. THRU BEZEL 2x1 ZQSFP+STACKED			DELEC 东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD	
PART NO.	DH10-5N3A009-02C			GENERAL TOLERANCE	UNIT:MM(INCH) / SIZE: A4
DRAW	Victor	DATE	2024-03-05	.X±0.25 / .X±1°	
CHECK	Victor	DATE	2024-03-05	.XX±0.20 / .XX±0.5°	SCALE: 1:1 / SHEET: 1/6 / REV:A
APPROVE	Victor	DATE	2024-03-05	.XXX±0.10	

PRODUCT DRAWING Ⓑ COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

ISSUE RECORD


REV	DESCRIPTION OF CHANGE	REVIEWED BY	APPROVED BY	ISSUE DATE
A	FIRST ISSUE	Aaron	Victor	2024-03-05


TITLE	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS. THRU BEZEL 2x1 ZQSFP+STACKED			DELEC	东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO.	DH10-5N3A009-02C			GENERAL TOLERANCE		UNIT:MM(INCH)	SIZE: A4
DRAW	Victor	DATE	2024-03-05	.X±0.25	.X±1°	SCALE: 1:1	SHEET: 2/6 REV:A
CHECK	Victor	DATE	2024-03-05	.XX±0.20	.XX±0.5°		
APPROVE	Victor	DATE	2024-03-05	.XXX±0.10			

PRODUCT DRAWING Ⓑ COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION

EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN






NOTE:
MATERIAL:
1. CONTACT: COPPER ALLOY.
2. HOUSING & COVER:
HIGH TEMPERATURE PLASTIC UL 94V-0. COLOR: BLACK.
3. MOULDED INSERT:
HIGH TEMPERATURE PLASTIC UL 94V-0. COLOR:BLACK.
4. CAGE:
TOP CAGE: COPPER ALLOY T=0.25mm.
BOTTOM CAGE:STAINLESS STEEL T=0.25mm.
BACK CAGE:COPPER ALLOY T=0.25mm.
MID CAGE:STAINLESS STEEL T=0.25mm.
5. EMI CLIP: COPPER ALLOY
6.LIGHT PIPES: POLYCARBONATE. UL 94V-0. COLOR:CLEAR


PLATED:
1. CONTACT AREA : PLATING GOLD 0.76 MICROMETERS MINIMUM OVER 1.27 MICROMETERS NICKEL.
2. CONTACT NEEDEL EYE: 2.54~5.08 MICROMETERS MATTE TIN OVER 1.27~2.54 MICROMETERS NICKEL.
3. TOP & BACK CAGE: 0.76~2.54 MICROMETERS NICKEL OVER ALL.
4. EMI CLIP: 0.76~2.54 MICROMETERS NICKEL OVER ALL.


ENVIRONMENTAL:
1. LOW LEVEL CONTACT RESITANCE(LLCR): △R 20 MILLIOHMS MAXIMUM.
2. WITHSTANDING VOLTAGE: 300V AC/MAXIMUM.
3. RATINGS CURRENT: 0.5 Amps MAXIMUM.
4. RATINGS VOLTAGE: 30 Volts AC(RMS)/DC MAX.
5. OPERATION: -40°C~+85°C.
6. STORAGE: -40°C~+85°C.
7. ROHS COMPLIANT



TITLE	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS. THRU BEZEL 2x1 ZQSFP+STACKED			DELEC	东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO.	DH10-5N3A009-02C			GENERAL TOLERANCE		UNIT:MM(INCH)	SIZE: A4
DRAW	Victor	DATE	2024-03-05	.X±0.25	.X±1°	SCALE: 1:1	SHEET: 3/6 REV:A
CHECK	Victor	DATE	2024-03-05	.XX±0.20	.XX±0.5°		
APPROVE	Victor	DATE	2024-03-05	.XXX±0.10			

PRODUCT DRAWING © COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION






TITLE	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS. THRU BEZEL 2x1 ZQSFP+STACKED			DELEC	东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO.	DH10-5N3A009-02C			GENERAL TOLERANCE		UNIT:MM(INCH)	SIZE: A4
DRAW	Victor	DATE	2024-03-05	.X±0.25	.X±1°	SCALE: 1:1	SHEET: 4/6 REV:A
CHECK	Victor	DATE	2024-03-05	.XX±0.20	.XX±0.5°		
APPROVE	Victor	DATE	2024-03-05	.XXX±0.10			

THIS DRAWING IS A CONTROLLED DOCUMENT FOR DUOYA CONNECTOR CORPORATION


EMAIL: MAILBOX@DELEC.COM.CN WEB SITE: HTTP://WWW.DELEC.COM.CN

Ⓑ COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION

PRODUCT DRAWING




RECOMMENDED PC BOARD LAYOUT
COMPONENT SIDE OF BOARD
(PCB TOLERANCE:±0.05)




DETAIL A
SCALE 2:1

TITLE	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS. THRU BEZEL 2x1 ZQSFP+STACKED	DELEC	东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD		
PART NO.	DH10-5N3A009-02C	GENERAL TOLERANCE		UNIT:MM(INCH)	SIZE: A4
DRAW	Victor	DATE	2024-03-05	.X±0.25	.X±1°
CHECK	Victor	DATE	2024-03-05	.XX±0.20	.XX±0.5°
APPROVE	Victor	DATE	2024-03-05	.XXX±0.10	
				SCALE: 1:1	SHEET: 5/6 REV:A


PRODUCT DRAWING Ⓑ COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION



KEEPOUT AREAS FOR 2 LP APPLICATION
COMPONENT SIDE OF BOARD



DETAIL"A"
10:1



DETAIL"B"
10:1

RoHS Compliant

TITLE	CAGE AND CONNECTOR ASSEMBLY WITH EMI SPRING FINGERS. THRU BEZEL 2x1 ZQSFP+STACKED			DELEC	东莞多亚电子有限公司 DONGGUAN DUOYA ELECTRONICS CO., LTD
PART NO.	DH10-5N3A009-02C			GENERAL TOLERANCE	UNIT:MM(INCH) / SIZE: A4
DRAW	Victor	DATE	2024-03-05	.X±0.25 / .X±1°	SCALE: 1:1 / SHEET: 6/6 / REV:A
CHECK	Victor	DATE	2024-03-05	.XX±0.20 / .XX±0.5°	
APPROVE	Victor	DATE	2024-03-05	.XXX±0.10	

PRODUCT DRAWING Ⓑ COPYRIGHT 2010 BY DUOYA CONNECTOR CORPORATION